



ASTHAM

RAILING & PROFILES SYSTEM





ASTHAM

RAILING & PROFILES SYSTEM

- * Astham Industries Pvt. Ltd. Is Promoted By Entrepreneurs With Over 30 Years Of Cumulative Experience In The Field Of Aluminium Fabrication Products.**
- * Astham Industries Pvt. Ltd. Is Designed With The Indian Mindset In Mind And Offers Flexible Solutions To Meet The Diverse Needs of Customers, Accommodating Their Unique Budget And Styling Requirements.**
- * In today's Modern Architectural Buildings, Windows Play A Virtual Role In Enhancing The Overall Aesthetic Appeal While Ensuring Essential Safety Measures. They Are Integral Elements In Contemporary Architectural Designs, Including Large Commercial Projects. Aluminium Glass Window Systems Are Highly Popular Due To Their Attractive Appearance, Durability And Superior Safety Features.**



Aluminium Bottom Rail	5
Bottom Bracket System	17
Hand Rail	21
16 x 45 Slim Profiles	29
12mm Glass Profiles	31
25 x 100 Double Glass Partition	33
Kitchen Profiles	35

Note :

- 1. The Materials Marked With A Red (*) Are Project-Specific Items. If Required, Please Confirm The Current Stock Availability Before Finalizing The Order. In Case The Items Are Not Readily Available In Stock, They Will Need To Be Manufactured As Per The Order, And The Delivery Timeline Will Be Provided Accordingly.**
- 2. All Dimensions Are In mm**
- 3. Weight Tolerances ± 7 To 10%**






AS-01

STEP BRACKET

Essential



Type : Bracket Wise & Full Cover
Profile

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Bracket Size : 70MM , 140MM

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 0.250 Kg Cover


Glass Height : 1050 mm (Max.)

Profile Size : 65mm X 100mm

AS-02

STRAIGHT BRACKET

Essential



Type : Bracket Wise & Full Cover
Profile

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Bracket Size : 70MM , 140MM

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 0.180 Kg Cover


Glass Height : 1050 mm (Max.)

Profile Size : 50mm X 85mm

AS-03

HEAVY BRACKET

Essential



Type : Bracket Wise & Full Cover
Profile

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Bracket Size : 70MM , 140MM

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 0.320 Kg Cover


Glass Height : 1150 mm (Max.)

Profile Size : 85mm X 140mm

AS-04

FAIRY BRACKET (CONTINUE)

Essential



Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 0.850 Kg Profile

Glass Height : 1050 mm (Max.)

Profile Size : 55mm X 70mm





ASTHAM
INDUSTRIES PVT LTD

Bottom Rail

Page No.: 7

AS-05

T - BRACKET

Essential



Type : Bracket System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Bracket Size : 70MM , 140MM
Finish : Natural, Anodize, Powder Coating, Wooden Coating
Glass Height : 1050 mm (Max.)
Profile Size : 84mm X 97mm

AS-06

L - BRACKET

Essential




Type : Bracket System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Bracket Size : 70MM , 140MM
Finish : Natural, Anodize, Powder Coating, Wooden Coating
Glass Height : 1050 mm (Max.)
Profile Size : 84mm X 100mm

AS-07

STAR LINE BRACKET

Essential




Type : Bracket Wise & Full Cover Profile
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Bracket Size : 70MM , 140MM
Cover Length : 13 ft./ 16 ft.
Finish : Natural, Anodize, Powder Coating, Wooden Coating
Weight/Ft.: 0.260 Kg Cover
Glass Height : 1150 mm (Max.)
Profile Size : 90mm X 115mm

AS-08

HEAVY CHANNEL (CONTINUE)

Essential



Type : Continue System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./ 16 ft.
Finish : Natural, Anodize, Powder Coating, Wooden Coating
Weight/Ft.: 1.710 Kg Profile
Glass Height : 1150 mm (Max.)
Profile Size : 45mm X 117mm






AS-09

SLIM LINE (CONTINUE)

Essential



Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder Coating, Wooden Coating

Weight/Ft.: 0.570 Kg [Profile](#)


Glass Height : 850 mm (Max.)

Profile Size : 48mm X 60mm

AS-10

60MM U-LINE (CONTINUE)

Essential



Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder Coating, Wooden Coating

Weight/Ft.: 0.630 Kg [Profile](#)


Glass Height : 850 mm (Max.)

Profile Size : 33mm X 60mm

AS-11

MODULAR FAIRY (CONTINUE)

Essential



Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder Coating, Wooden Coating

Weight/Ft.: 0.760 Kg [Profile](#)


Glass Height : 1150 mm (Max.)

Profile Size : 70mm X 70mm

AS-12

LED 90 X 50 BOTTOM (CONTINUE)

Essential



Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder Coating, Wooden Coating

Weight/Ft.: 1.00 Kg [Profile](#)

Glass Height : 1150 mm (Max.)

Profile Size : 50mm X 90mm






AS-13

CURVE LINE (CONTINUE)

Essential



Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 0.850 Kg Profile

Weight/Ft.: 0.060 Kg Clip


Glass Height : 1150 mm (Max.)

Profile Size : 65mm X 100mm

AS-14

HEAVY PROFILE (CONTINUE)

Essential



Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 1.700 Kg Profile

Weight/Ft.: 0.060 Kg Clip


Glass Height : 1150 mm (Max.)

Profile Size : 70mm X 125mm

AS-15

80MM U-LINE (CONTINUE)

Essential



Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 0.850 Kg Profile


Glass Height : 1150 mm (Max.)

Profile Size : 40mm X 80mm

AS-16

86MM U-LINE (CONTINUE)

Essential



Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 1.090 Kg Profile

Glass Height : 1150 mm (Max.)

Profile Size : 37mm X 86mm



ed content



AS-17

105 X 80 BRACKET

Essential

Type : Bracket Wise & Full Cover
Profile

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Bracket Size : 70MM , 140MM

Cover Length : 13 ft./ 16 ft.


Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 1.550 Kg Profile

Weight/Ft.: 0.180 Kg Cover

Glass Height : 1150 mm (Max.)

Profile Size : 80mm X 105mm



AS-18

TRIANGLE BRACKET

Essential

Type : Bracket Wise & Full Cover
Profile

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Bracket Size : 50MM

Cover Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 0.190 Kg Cover

Glass Height : 1150 mm (Max.)

Profile Size : 60mm X 115mm



AS-19

TRIANGLE FAIRY (CONTINUE)

Essential

Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6


Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 0.880 Kg Profile

Glass Height : 1150 mm (Max.)

Profile Size : 65mm X 75mm



AS-20

120 X 60 CHANNEL (CONTINUE)

Essential

Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6


Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 1.470 Kg Profile

Glass Height : 1150 mm (Max.)

Profile Size : 60mm X 120mm







ASTHAM
INDUSTRIES PVT LTD


Bottom Rail

Page No.: 15

AS-21

100 X 55 CHANNEL (CONTINUE)

Essential



Type : Continue System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Weight/Ft.: 1.070 Kg Profile

Glass Height : 1150 mm (Max.)

Profile Size : 55mm X 100mm

AS-22

TOWER BRACKET

Essential



Type : Bracket System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Bracket Size : 50MM

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Glass Height : 1150 mm (Max.)

Profile Size : 60mm X 100mm

AS-23

OVEL BRACKET

Essential



Type : Bracket System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Bracket Size : 50MM

Finish : Natural, Anodize, Powder
Coating, Wooden Coating

Glass Height : 1150 mm (Max.)

Profile Size : 55mm X 100mm


AS-24

COMING SOON...





ST-01




ROUND STAIRCASE BRACKET

ST-02




ROUND STRAIGHT BRACKET

ST-03



SQUARE STAIRCASE BRACKET

ST-04




SQUARE STRAIGHT BRACKET

ST-05



DIMOND STRAIGHT BRACKET

ST-06



DIMOND STRAIGHT BRACKET

ST-07 *




ACCO STRAIGHT BRACKET

ST-08 *




ACCO STAIRCASE BRACKET

ST-09




NEW SQUARE STAIRCASE BRACKET

ST-10




NEW SQUARE STRAIGHT BRACKET

ST-11 *




CURVE F-BRACKET

ST-12 *




ROUND F-BRACKET

ST-13 *



SQUARE F-BRACKET

ST-16




PIRAMID STAIRCASE BRACKET






ST-17



**PIRAMID STRAIGHT
BRACKET**

ST-18




**SQUARE SIX PART
STAIRCASE BRACKET**

ST-19




**SQUARE SIX PART STRAIGHT
BRACKET**

ST-20 *



**OVAL SQUARE STAIRCASE
BRACKET**

ST-21 *



**OVAL SQUARE STRAIGHT
BRACKET**

ST-22 *



**SQUARE STRAIGHT
BRACKET**

ST-23



**S.S. STAIRCASE & STRAIGHT
BRACKET**

ST-24



S.S. SPACER

ST-25 *



ROUND HOCKEY

ST-26 *



SIDE MOUNT (125MM)

ST-27



**ADJUSTABLE ROUND
HOCKEY**







HR-01


50mm Round Pipe



**Wall
Concealed**




**Corner
Elbow**



**Straight
Joiner**



**Adjustable
Elbow**



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6


Length : 13 ft./ 16 ft.

Weight/Ft.: 0.290 Kg


Finish : Natural, Anodize, Powder Coating, Wooden Coating

HR-03

50mm Square Pipe



**Wall
Concealed**



**Corner
Elbow**



**Straight
Joiner**



**Adjustable
Elbow**



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Weight/Ft.: 0.290 Kg

Finish : Natural, Anodize, Powder Coating, Wooden Coating

HR-02


65mm Round Pipe



**Wall
Concealed**




**Corner
Elbow**



**Straight
Joiner**



**Adjustable
Elbow**



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6


Length : 13 ft./ 16 ft.

Weight/Ft.: 0.400 Kg


Finish : Natural, Anodize, Powder Coating, Wooden Coating

HR-04


40mm Square Pipe



**Wall
Concealed**



**Corner
Elbow**



**Straight
Joiner**



**Adjustable
Elbow**



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Weight/Ft.: 0.235 Kg


Finish : Natural, Anodize, Powder Coating, Wooden Coating






HR-05


65X35 Oval Pipe



Wall
Concealed



Corner
Elbow



Straight
Joiner



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Weight/Ft.: 0.390 Kg


Finish : Natural, Anodize, Powder Coating, Wooden Coating

HR-07


Single LED Pipe




Wall
Concealed



Corner
Elbow



Straight
Joiner



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6



Length : 13 ft./ 16 ft.

Weight/Ft.: 0.390 Kg

Finish : Natural, Anodize, Powder Coating, Wooden Coating

HR-06


25mm Slim Pipe



Wall
Concealed



Corner
Elbow



Straight
Joiner



Adjustable
Elbow



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Weight/Ft.: 0.170 Kg


Finish : Natural, Anodize, Powder Coating, Wooden Coating

HR-08


82X38 Enclave Pipe



Wall
Concealed



Corner
Elbow



Straight
Joiner



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Weight/Ft.: 0.320 Kg

Finish : Natural, Anodize, Powder Coating, Wooden Coating





ASTHAM

INDUSTRIES PVT LTD

Hand Rail


Page No.: 25

HR-09

Sleek Pipe



Wall
Concealed



Corner
Elbow



Straight
Jointer



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Weight/Ft.: 0.350 Kg


Finish : Natural, Anodize, Powder Coating, Wooden Coating

HR-10


Double LED Pipe




Wall
Concealed



Corner
Elbow



Straight
Jointer



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Weight/Ft.: 0.300 Kg


Finish : Natural, Anodize, Powder Coating, Wooden Coating

HR-11


60X40 Pipe




Wall
Concealed



Corner
Elbow



Straight
Jointer



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Weight/Ft.: 0.400 Kg


Finish : Natural, Anodize, Powder Coating, Wooden Coating

HR-12


65X40 Traiangle Pipe



Wall
Concealed



Corner
Elbow



Straight
Jointer



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Weight/Ft.: 0.340 Kg

Finish : Natural, Anodize, Powder Coating, Wooden Coating





ASTHAM
INDUSTRIES PVT LTD

Hand Rail

Page No.: 27

HR-13

39mm Hexagonal Pipe



Wall
Concealed



Corner
Elbow



Straight
Joiner



Adjustable
Elbow



End Cap

Essential

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6


Length : 13 ft./ 16 ft.

Weight/Ft.: 0.230 Kg

Finish : Natural, Anodize, Powder Coating, Wooden Coating

HR-14

40mm Round Pipe



Wall
Concealed



Corner
Elbow



Straight
Joiner



Adjustable
Elbow



End Cap

Essential


Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./ 16 ft.

Weight/Ft.: 0.200 Kg

Finish : Natural, Anodize, Powder Coating, Wooden Coating









16 X 45 MM

16 X 45 SP Frame




Section No.: ASP-0001
Weight (Kg/12'): 2.400

16 X 45 Top Bottom




Section No.: ASP-0002
Weight (Kg/12'): 2.950

16 X 45 DP Frame




Section No.: ASP-0003
Weight (Kg/12'): 2.600

16 X 45 Pesting Pipe




Section No.: ASP-0004
Weight (Kg/12'): 0.920

16 X 45 Sliding Channel




Section No.: ASP-0005
Weight (Kg/12'): 2.780

16 X 45 Cover Profile




Section No.: ASP-0006
Weight (Kg/12'): 1.350

25 X 45 SP Frame




Section No.: ASP-0007
Weight (Kg/12'): 1.500

25 X 45 SP Clip




Section No.: ASP-0008
Weight (Kg/12'): 0.600

25 X 45 DP Frame




Section No.: ASP-0009
Weight (Kg/12'): 1.600

25 X 45 DP Clip




Section No.: ASP-0010
Weight (Kg/12'): 0.500

25 X 45 Fix Frame




Section No.: ASP-0011
Weight (Kg/12'): 1.980

25 X 45 Door Top-Bottom




Section No.: ASP-0012
Weight (Kg/12'): 4.400

25 X 45 Door Vertical




Section No.: ASP-0013
Weight (Kg/12'): 5.300

25 X 45 Door Clip




Section No.: ASP-0014
Weight (Kg/12'): 0.900

25 X 45 Cover Plate *




Section No.: ASP-0015
Weight (Kg/12'): 0.900

25 X 45 Door Cover *



Section No.: ASP-0016
Weight (Kg/12'): 1.380

17 X 26 Pesting Pipe *



Section No.: ASP-0017
Weight (Kg/12'): 0.680





12MM GLASS PROFILE

12MM Square C-Profile




Section No.: ASP-0018
Weight (Kg/12'): 1.250

12MM Square H-Profile



Section No.: ASP-0019
Weight (Kg/12'): 1.300

12MM Square L-Profile *




Section No.: ASP-0020
Weight (Kg/12'): 1.700

12MM Square Pesting




Section No.: ASP-0021
Weight (Kg/12'): 0.500

12MM Modular C-Profile




Section No.: ASP-0022
Weight (Kg/12'): 0.750

12MM Modular H-Profile



Section No.: ASP-0023
Weight (Kg/12'): 0.800

12MM Modular Pesting




Section No.: ASP-0024
Weight (Kg/12'): 0.500

12MM Hollow Georgian




Section No.: ASP-0025
Weight (Kg/12'): 0.400

10MM Glass I-Jointer *




Section No.: ASP-0026
Weight (Kg/12'): 0.630

10MM Glass L-Jointer *




Section No.: ASP-0027
Weight (Kg/12'): 0.980

10MM Glass T-Jointer *



Section No.: ASP-0028
Weight (Kg/12'): 0.650

12MM Glass Male-Female



Section No.: ASP-0029
Weight (Kg/12'): 2.750







25 X 100 Double Glass Frame




Section No.: ASP-0033 *
Weight (Kg/12'): 2.700

25 X 25 Folding Frame




Section No.: ASP-0037 *
Weight (Kg/12'): 1.150








Gola Handle




Section No.: KF-8804 *
Weight (Kg/12'): 2.050

Slim 43mm Handle



Section No.: KF-8809 *
Weight (Kg/12'): 2.250

Slim Shutter




Section No.: KF-8811 *
Weight (Kg/12'): 1.800





ASTHAM

RAILING & PROFILES SYSTEM



ASTHAM INDUSTRIES PVT. LTD

Surat (Gujrat) INDIA

Contacts: 7043224067, 7405708224, 8141642000

www.asthamindustries.com

